



EU Stock Germany Warehouse 3.2V 280ah Prismatic Lifepo4 Battery Cell 3.2v 304ah LFP Lithium Battery For Yachts

Our Product Introduction

for more products please visit us on enookbattery.com

Basic Information

- Place of Origin: china
- Brand Name: EVE
- Certification: CE ROHS FCC UN38 .3 MSDS
- Model Number: 3.2V Lifepo4 Lithium Ion Battery
- Minimum Order Quantity: 4
- Supply Ability: 10000



Product Specification


- Voltage: 3.2V
- Storage Temperature: 0 ~35
- Battery Type: 3.2V 280Ah Lifepo4 Battery
- Standard Rating Cycle: ≥6000 (0.5C/0.5C)
- Standard Charge-discharge Rate: 0.5C(P)
- OEM/ODM: Yes(Accepted)
- BMS System: Customized
- Highlight: 3.2V 280ah Lifepo4 Battery Cell,
Prismatic Lifepo4 Battery Cell,
3.2v 304ah LFP Lithium Battery




More Images



**100% Brand New
280K 3.2V LifePo4 Battery**



CE UL
MSDS UN38.3



Product Description

Product Description:

The LifePo4 Lithium Ion Battery is a high-quality battery designed for electric bikes, mountain bikes, motorcycles, and bicycles. It is a removable battery that can be easily replaced and recharged, making it an ideal choice for those who want to keep their vehicles running smoothly.

The battery has a storage temperature range of 0 ~35 , which makes it suitable for use in all seasons. It measures 118.5(H)*160(W)*50.1(T) in size, which is compact and easy to carry. The battery's discharging temperature range is -35 ~65 , which means it can be used in extreme weather conditions.

This Lithium Ion Battery is Grade A and brand new with an original QR code. This ensures that the battery is of the highest quality and has not been used before. The QR code makes it easy to verify the authenticity of the battery and ensures that you are getting what you paid for.

The manufacturer accepts OEM/ODM orders, which means that you can customize the battery to fit your specific needs. This is especially useful for those who have unique requirements for their electric bike battery. Whether you need a specific size, shape, or capacity, the manufacturer can work with you to create a battery that meets your needs.

Overall, the LifePo4 Lithium Ion Battery is an excellent choice for those who need a reliable and long-lasting battery for their Hailong electric bike battery, removable battery for e-bike, lithium E-bike battery for electric bike/mountain bike/motorcycle/bicycle. With its high-quality construction, wide temperature range, and customizability, this battery is sure to meet all of your needs.

Overseas warehouses

Product
Advantages


Overseas warehouses



Lifepo4 battery
3.2V 304A



12V & 24V SERIES
ENERGY STORAGE LITHIUM
BATTERY



Solar LiFePO4
B5.12KW 51.2V
100Ah 200Ah atttery



24 Hours
Online Support



DDP
Tax-Free Shipping



3-7 Days
Swift Delivery

Features:

Product Name: LifePo4 Lithium Ion Battery

Battery Type: 3.2V 280Ah Lifepo4 Battery

Capacity: 280ah 105ah 200ah 304ah 50ah 173ah

BMS system: Customized

Charging Temperature: 0 ~65

Storage Temperature: 0 ~35


Compatible with Hailong electric bike battery

Approx. weight: 4.0~40.0kg

Also suitable for use as a 60v battery pack



280Ah LiFePO4 Battery



- 1.Shipment of
laser welding screws
- 2.Welding screws
- 3.Brand new,grade A

Product Parameters

| | | | |
|---------------------------|---------|--------------------------|--------------|
| Model | LF280K | Dimension (L*W*H) | 174*208*72MM |
| Nominal Voltage | 3.2V | Nominal Capacity | 280AH |
| Impedance | ≤0.25mΩ | Cell Weight | 5.42Kg |
| Discharge Temperature | -20~55℃ | Cycle Life | 8000 Times |
| Discharge Cut-off Voltage | 2.5V | Charging Cut-off Voltage | 3.65V |


Technical Parameters:

| | |
|---------------------|---------------------------------|
| OEM/ODM | Yes(Accepted) |
| Shape | Prismatic Pack |
| Feature | Deep Cycle Lifepo4 Battery Cell |
| Storage Temperature | 0 ~35 |

| | |
|--------------------------------|----------------------------|
| Size | 118.5(H)*160(W)*50.1(T) |
| Battery Type | 3.2V 280Ah Lifepo4 Battery |
| Weight | 1920±100G |
| Package | OEM |
| Standard Charge-discharge rate | 0.5C(P) |
| BMS system | Customized |

Keywords: 60v 15Ah 20ah 30ah 40ah 45ah 50ah 60ah, 60v battery pack, Approx. 4.0~40.0kg

100% Brand New 280Ah 3.2V LiFePO4 Battery



Support and Services:

The LifePo4 Lithium Ion Battery product comes with a comprehensive technical support and services package to ensure optimal performance and longevity. Our team of experts is available to assist with any technical queries and provide guidance on installation, maintenance, and troubleshooting.

Our technical support and services include:

[Expert technical assistance](#)

[Guidance on installation and maintenance](#)

[Troubleshooting support](#)

[Product documentation and manuals](#)

[Product warranty and repair services](#)

We are committed to providing our customers with the highest level of technical support and services to ensure their complete satisfaction with our product.



Packing and Shipping:

Product Packaging:

The LifePo4 Lithium Ion Battery will be carefully packed in a sturdy cardboard box.

The box will be filled with protective cushioning material to ensure that the battery does not get damaged during transit.

The box will also include the necessary safety instructions and handling precautions for the battery.

Shipping:

The LifePo4 Lithium Ion Battery will be shipped via a reliable courier service.


The shipping cost will be calculated based on the destination and weight of the battery.

Customers will be provided with a tracking number so that they can keep an eye on the progress of their shipment.

Delivery times may vary depending on the destination and any unforeseen circumstances that may arise during transit.

Decoder

Product Advantages



Enook LiFePO4 Battery Decoder

04QCB13J70600TDCX0007624

DECODER

Code Check...
Code:04Q-CB-13T70-600TD-CX000-7624
Code seems right.
Code length is right.

Manufacturer:
Product Type: Battery Cell
Battery Type: LiFePO4
Nominal Capacity: 314Ah
Nominal Voltage: 3.2V
Production Date: 11/Mar/2024
Manufacturer Website:

| 序号 | 条码 | 容量(Ah) | OCV(V) | RI(ohm) | 档位 | 箱号 | 板板 | 组别 |
|----|---------------------------|----------|--------|---------|------|-------------------|-------------------|----|
| 1 | 04QCB13J70600TDCX0007624 | 163.3458 | 3.262 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |
| 2 | 04QCB13J70600TDCX0008825 | 163.0892 | 3.262 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |
| 3 | 04QCB13J70600TDCX0008825 | 163.0922 | 3.262 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |
| 4 | 04QCB13J70600TDCX0008825 | 163.2086 | 3.262 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |
| 5 | 04QCB13J70600TDCX0008916 | 163.0950 | 3.262 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |
| 1 | 04QCB13J70600TDCX0007624 | 163.3458 | | | | | | |
| 2 | 04QCB13J70600TDCX0008825 | 163.0892 | | | | | | |
| 12 | 04QCB13J70700TDCX00011700 | 163.1656 | 3.264 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |
| 13 | 04QCB13J70700TDCX00012285 | 163.6258 | 3.264 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |
| 14 | 04QCB13J70700TDCX00012303 | 163.9674 | 3.264 | 0.40 | Qe13 | 18JXR202404240640 | 18JZB202404240273 | 1 |

FAQ:

- Q: What is the brand name of this lithium ion battery?
A: The brand name of this lithium ion battery is enook.
- Q: What is the model number of this battery?
A: The model number of this battery is 3.2V Lifepo4 Lithium Ion Battery.
- Q: Where is this battery made?
A: This battery is made in China.
- Q: What certifications does this battery have?
A: This battery has CE, ROHS, FCC, UN38 .3 and MSDS certifications.
- Q: What is the minimum order quantity for this battery?
A: The minimum order quantity for this battery is 4.
- Q: What is the supply ability of this battery?
A: The supply ability of this battery is 10000.



Changsha Enook Technology Co., Ltd



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,
CHANGSHA, HUNAN